
Contents

Preface	xi
List of Figures	xiii
List of Tables	xvii
1 Background on computational complexity	1
1.1 General overview of computational problems	2
1.2 Deterministic decision problems: P, NP, NP-complete	4
1.3 Deterministic counting: FP, #P, #P-complete	8
1.4 Computing the volume of a convex body, deterministic versus stochastic case	11
1.5 Random decision algorithms: RP, BPP. Papadimitriou's theorem	14
1.6 Stochastic counting and sampling: FPRAS and FPAUS	19
1.7 Conclusions and the overview of the book	24
1.8 Exercises	26
1.9 Solutions	29
I Computational Complexity of Counting	33
2 Algebraic dynamic programming and monotone computations	35
2.1 Introducing algebraic dynamic programming	36
2.1.1 Recursions, dynamic programming	36
2.1.2 Formal definition of algebraic dynamic programming	45
2.1.3 The power of algebraic dynamic programming: Variants of the money change problem	48
2.1.3.1 Counting the coin sequences summing up to a given amount	49
2.1.3.2 Calculating the partition polynomial	49
2.1.3.3 Finding the recursion for optimization with algebraic dynamic programming	49
2.1.3.4 Counting the total sum of weights	50

2.1.3.5	Counting the coin sequences when the order does not count	51
2.2	Counting, optimizing, deciding	51
2.3	The zoo of counting and optimization problems solvable with algebraic dynamic programming	59
2.3.1	Regular grammars, Hidden Markov Models	59
2.3.2	Sequence alignment problems, pair Hidden Markov Models	65
2.3.3	Context-free grammars	73
2.3.4	Walks on directed graphs	85
2.3.5	Trees	88
2.4	Limitations of the algebraic dynamic programming approach	89
2.5	Exercises	91
2.6	Solutions	99
3	Linear algebraic algorithms. The power of subtracting	123
3.1	Division-free algorithms for calculating the determinant and Pfaffian	124
3.2	Kirchhoff's matrix-tree theorem	133
3.3	The BEST (de Bruijn-Ehrenfest-Smith-Tutte) algorithm	139
3.4	The FKT (Fisher-Kasteleyn-Temperley) algorithm	145
3.5	The power of subtraction	154
3.6	Further reading	157
3.7	Exercises	158
3.8	Solutions	160
4	#P-complete counting problems	165
4.1	Approximation-preserving #P-complete proofs	167
4.1.1	#3SAT	167
4.1.2	Calculating the permanent of an arbitrary matrix	170
4.1.3	Counting the most parsimonious substitution histories on an evolutionary tree	174
4.1.4	#IS and #MON-2SAT	184
4.2	#P-complete proofs not preserving the relative error	186
4.2.1	#DNF, #3DNF	186
4.2.2	Counting the sequences of a given length that a regular grammar can generate	187
4.2.3	Computing the permanent of a non-negative matrix and counting perfect matchings in bipartite graphs	188
4.2.4	Counting the (not necessarily perfect) matchings of a bipartite graph	190
4.2.5	Counting the linear extensions of a poset	191

4.2.6	Counting the most parsimonious substitution histories on a star tree	195
4.2.7	Counting the (not necessarily perfect) matchings in a planar graph	199
4.2.8	Counting the subtrees of a graph	204
4.2.9	Number of Eulerian orientations in a Eulerian graph	207
4.3	Further reading and open problems	208
4.3.1	Further results	208
4.3.2	#BIS-complete problems	211
4.3.3	Open problems	211
4.4	Exercises	213
4.5	Solutions	214
5	Holographic algorithms	217
5.1	Holographic reduction	218
5.2	Examples	224
5.2.1	#X-matchings	224
5.2.2	#Pl-3-(1,1)-Cyclechain	228
5.2.3	#Pl-3-NAE-ICE	231
5.2.4	#Pl-3-NAE-SAT	234
5.2.5	# ₇ Pl-Rtw-Mon-3SAT	236
5.3	Further results and open problems	240
5.3.1	Further results	240
5.3.2	Open problems	241
5.4	Exercises	242
5.5	Solutions	243
II	Computational Complexity of Sampling	245
6	Methods of random generations	247
6.1	Generating random numbers	248
6.2	Rejection sampling	249
6.3	Importance sampling	253
6.4	Sampling with algebraic dynamic programming	256
6.5	Sampling self-reducible objects	260
6.6	Markov chain Monte Carlo	263
6.7	Exercises	267
6.8	Solutions	269
7	Mixing of Markov chains and their applications in the theory of counting and sampling	273
7.1	Relaxation time and second-largest eigenvalue	274
7.2	Techniques to prove rapid mixing of Markov chains	277

7.2.1	Cheeger's inequalities and the isoperimetric inequality	278
7.2.2	Mixing of Markov chains on factorized state spaces . .	283
7.2.3	Canonical paths and multicommodity flow	291
7.2.4	Coupling of Markov chains	298
7.2.5	Mixing of Markov chains on direct product spaces . .	300
7.3	Self-reducible counting problems	301
7.3.1	The Jerrum-Valiant-Vazirani theorem	302
7.3.2	Dichotomy theory on the approximability of self-reducible counting problems	307
7.4	Further reading and open questions	311
7.4.1	Further reading	311
7.4.2	Open problems	313
7.5	Exercises	313
7.6	Solutions	317
8	Approximable counting and sampling problems	321
8.1	Sampling with the rejection method	322
8.1.1	#Knapsack	322
8.1.2	Edge-disjoint tree realizations without common internal vertices	323
8.2	Sampling with Markov chains	326
8.2.1	Linear extensions of posets	326
8.2.2	Counting the (not necessarily perfect) matchings of a graph	328
8.2.3	Sampling realizations of bipartite degree sequences . .	330
8.2.4	Balanced realizations of a JDM	334
8.2.5	Counting the most parsimonious DCJ scenarios	340
8.2.6	Sampling and counting the k -colorings of a graph . . .	353
8.3	Further results and open problems	356
8.3.1	Further results	356
8.3.2	Open problems	357
8.4	Exercises	358
8.5	Solutions	360
	Bibliography	363
	Index	379